



## Dupixent® (dupilumab) Positive Phase 3 Data in Children 1 to 11 Years of Age with Eosinophilic Esophagitis Published in the New England Journal of Medicine

June 26, 2024 at 5:30 PM EDT

**Majority of patients in this age group with eosinophilic esophagitis (EoE) receiving Dupixent achieved histologic remission, with improvements sustained up to one year**

**Dupixent is the first and only treatment indicated for EoE in the U.S. for this age group**

TARRYTOWN, N.Y. and PARIS, June 26, 2024 (GLOBE NEWSWIRE) -- Regeneron Pharmaceuticals, Inc. (NASDAQ: REGN) and Sanofi today announced the *New England Journal of Medicine (NEJM)* has published [results](#) from a positive Phase 3 trial for Dupixent® (dupilumab) in children aged 1 to 11 years with eosinophilic esophagitis (EoE). The trial showed a greater proportion of those receiving weight-tiered higher dose Dupixent experienced significant improvements in many key disease measures of EoE, compared to placebo at week 16. Data from the trial were the basis for the U.S. Food and Drug Administration (FDA) Priority Review and [approval](#) of Dupixent in children aged 1 to 11 years with EoE weighing at least 15 kg, as well as for the regulatory submission that is currently under review by the European Medicines Agency for this age group.

EoE is a chronic, progressive disease associated with type 2 inflammation that is thought to be responsible for damaging the esophagus and impairing its function. Diagnosis is difficult, as symptoms can be mistaken for other conditions and there are delays in diagnosis. EoE can severely impact a child's ability to eat and may also cause abdominal pain, trouble swallowing, heartburn, vomiting and failure to thrive. Continuous management of EoE may be needed to reduce the risk of complications and disease progression.

"The *NEJM* publication of these Phase 3 dupilumab results is a testament to the importance of these data and potential for dupilumab to change the standard of care for many young children with eosinophilic esophagitis. These children commonly experience feeding difficulties, food refusal and failure to thrive during a critical time of their growth and development," said Mirna Chehade, MD, MPH, Mount Sinai Center for Eosinophilic Disorders, Ichan School of Medicine at Mount Sinai, New York, NY, and principal investigator of the trial. "These data showed weight-tiered higher dose dupilumab significantly improved key eosinophilic esophagitis histologic, endoscopic and cellular measures in children as young as 1 year old with sustained results for up to one year. These results reinforce the positive results seen in older patients with eosinophilic esophagitis and strengthen our understanding of IL-4 and IL-13 as key drivers of the type 2 inflammation underlying this disease."

As published, a significantly greater proportion of children receiving either a weight-tiered higher or lower dose regimen of Dupixent achieved histologic remission at week 16 in Part A of the trial, compared with placebo. Additionally, those treated with higher dose Dupixent experienced significant improvements in disease severity assessed by endoscopic measures, with improvements sustained for up to one year. Those receiving lower dose Dupixent experienced improvements that were either comparable or numerically lower than the higher dose group. Dupixent also led to a numerical improvement in body weight for age percentile by week 16 that was sustained at one year, which was evaluated as an exploratory endpoint in Part A and a secondary endpoint in Part B.

Safety results were generally consistent with the known safety profile of Dupixent in adolescents and adults with EoE. Adverse events more commonly observed with Dupixent (~10%) in either weight-based dosing regimen versus placebo in the trial were COVID-19, nausea, injection site pain and headache during Part A. The long-term safety profile of Dupixent in children aged 1 to 11 years through Part B was similar to that observed during Part A. In Part B, one case of helminth infection was reported with Dupixent.

For patients in the U.S. with EoE weighing at least 15 kg., the FDA-approved dosage for Dupixent is 200 mg or 300mg every other week, or 300mg weekly, based on weight.

Dr. Mirna Chehade has served as a paid consultant for Regeneron and Sanofi and has received research grant funding from Regeneron.

### **About the Dupixent Pediatric Eosinophilic Esophagitis Trial**

The Phase 3 randomized, double-blind, placebo-controlled trial evaluated the efficacy and safety of Dupixent in children aged 1 to 11 years with EoE. Part A enrolled 102 patients and evaluated Dupixent at a weight-tiered higher dose or lower dose regimen, compared to placebo, for 16 weeks. Part B was a 36-week extended active treatment period in which eligible children from Part A in the Dupixent group maintained their higher or lower dose level, while those in the placebo group switched to higher or lower dose Dupixent.

The primary endpoint was histologic remission at 16 weeks, and secondary endpoints included assessments of endoscopic and histopathologic measures of the severity of disease along with clinical signs and symptoms of EoE. Change in body weight-for-age percentile was evaluated as an exploratory endpoint in Part A and as a secondary endpoint in Part B. The trial is ongoing with a 108-week open-label extension period (Part C) to evaluate longer-term outcomes.

### **About Dupixent**

Dupixent, which was invented using Regeneron's proprietary *VelocImmune*<sup>®</sup> technology, is a fully human monoclonal antibody that inhibits the signaling of the interleukin-4 (IL-4) and interleukin-13 (IL-13) pathways and is not an immunosuppressant. The Dupixent development program has shown significant clinical benefit and a decrease in type 2 inflammation in Phase 3 trials, establishing that IL-4 and IL-13 are key and central drivers of the type 2 inflammation that plays a major role in multiple related and often co-morbid diseases.

Dupixent has received regulatory approvals in more than 60 countries in one or more indications including certain patients with atopic dermatitis, asthma, chronic rhinosinusitis with nasal polyposis (CRSwNP), eosinophilic esophagitis (EoE), prurigo nodularis, and chronic spontaneous urticaria (CSU) in different age populations. More than 850,000 patients are being treated with Dupixent globally.

### **About Regeneron's *VelocImmune*<sup>®</sup> Technology**

Regeneron's *VelocImmune* technology utilizes a proprietary genetically engineered mouse platform endowed with a genetically humanized immune system to produce optimized fully human antibodies. When Regeneron's co-Founder, President and Chief Scientific Officer George D. Yancopoulos was a graduate student with his mentor Frederick W. Alt in 1985, they were the first to [envision](#) making such a genetically humanized mouse, and Regeneron has spent decades inventing and developing *VelocImmune* and related *VelociSuite*<sup>®</sup> technologies. Dr. Yancopoulos and his team have used *VelocImmune* technology to create a substantial portion of all original, FDA-approved or authorized fully human monoclonal antibodies. This includes REGEN-COV<sup>®</sup> (casirivimab and imdevimab), Dupixent, Libtayo<sup>®</sup> (cemiplimab-rwlc), Praluent<sup>®</sup> (alirocumab), Kevzara<sup>®</sup> (sarilumab), Evkeeza<sup>®</sup> (evinacumab-dgnb) and Inmazeb<sup>®</sup> (atoltivimab, maftivimab and odesivimab-ebgn).

### **Dupilumab Development Program**

Dupilumab is being jointly developed by Regeneron and Sanofi under a global collaboration agreement. To date, dupilumab has been studied across more than 60 clinical trials involving more than 10,000 patients with various chronic diseases driven in part by type 2 inflammation.

In addition to the currently approved indications, Regeneron and Sanofi are studying dupilumab in a broad range of diseases driven by type 2 inflammation or other allergic processes in Phase 3 trials, including chronic spontaneous urticaria, chronic pruritus of unknown origin, chronic obstructive pulmonary disease with evidence of type 2 inflammation and bullous pemphigoid. These potential uses of dupilumab are currently under clinical investigation, and the safety and efficacy in these conditions have not been fully evaluated by any regulatory authority.

## **U.S. INDICATIONS**

DUPIXENT is a prescription medicine used:

- to treat adults and children 6 months of age and older with moderate-to-severe eczema (atopic dermatitis or AD) that is not well controlled with prescription therapies used on the skin (topical), or who cannot use topical therapies. DUPIXENT can be used with or without topical corticosteroids. It is not known if DUPIXENT is safe and effective in children with atopic dermatitis under 6 months of age.
- with other asthma medicines for the maintenance treatment of moderate-to-severe eosinophilic or oral steroid dependent asthma in adults and children 6 years of age and older whose asthma is not controlled with their current asthma medicines. DUPIXENT helps prevent severe asthma attacks (exacerbations) and can improve your breathing. DUPIXENT may also help reduce the amount of oral corticosteroids you need while preventing severe asthma attacks and improving your breathing. DUPIXENT is not used to treat sudden breathing problems. It is not known if DUPIXENT is safe and effective in children with asthma under 6 years of age.
- with other medicines for the maintenance treatment of chronic rhinosinusitis with nasal polyposis (CRSwNP) in adults whose disease is not controlled. It is not known if DUPIXENT is safe and effective in children with chronic rhinosinusitis with nasal polyposis under 18 years of age.
- to treat adults and children 1 year of age and older with eosinophilic esophagitis (EoE), who weigh at least 33 pounds (15 kg). It is not known if DUPIXENT is safe and effective in children with eosinophilic esophagitis under 1 year of age, or who weigh less than 33 pounds (15 kg).
- to treat adults with prurigo nodularis (PN). It is not known if DUPIXENT is safe and effective in children with prurigo nodularis under 18 years of age.

## **IMPORTANT SAFETY INFORMATION**

**Do not use** if you are allergic to dupilumab or to any of the ingredients in DUPIXENT<sup>®</sup>.

**Before using DUPIXENT, tell your healthcare provider about all your medical conditions, including if you:**

- have eye problems.

- have a parasitic (helminth) infection.
- are scheduled to receive any vaccinations. You should not receive a “live vaccine” right before and during treatment with DUPIXENT.
- are pregnant or plan to become pregnant. It is not known whether DUPIXENT will harm your unborn baby.
  - A pregnancy registry for women who take DUPIXENT during pregnancy collects information about the health of you and your baby. To enroll or get more information call 1-877-311-8972 or go to <https://mothertobaby.org/ongoing-study/dupixent/>.
- are breastfeeding or plan to breastfeed. It is not known whether DUPIXENT passes into your breast milk.

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

**Especially tell your healthcare provider if you** are taking oral, topical, or inhaled corticosteroid medicines; have asthma and use an asthma medicine; or have atopic dermatitis, chronic rhinosinusitis with nasal polyposis, eosinophilic esophagitis, or prurigo nodularis and also have asthma. **Do not** change or stop your corticosteroid medicine or other asthma medicine without talking to your healthcare provider. This may cause other symptoms that were controlled by the corticosteroid medicine or other asthma medicine to come back.

**DUPIXENT can cause serious side effects, including:**

- **Allergic reactions. DUPIXENT can cause allergic reactions that can sometimes be severe.** Stop using DUPIXENT and tell your healthcare provider or get emergency help right away if you get any of the following signs or symptoms: breathing problems or wheezing, swelling of the face, lips, mouth, tongue or throat, fainting, dizziness, feeling lightheaded, fast pulse, fever, hives, joint pain, general ill feeling, itching, skin rash, swollen lymph nodes, nausea or vomiting, or cramps in your stomach-area.
- **Eye problems.** Tell your healthcare provider if you have any new or worsening eye problems, including eye pain or changes in vision, such as blurred vision. Your healthcare provider may send you to an ophthalmologist for an exam if needed.
- **Inflammation of your blood vessels.** Rarely, this can happen in people with asthma who receive DUPIXENT. This may happen in people who also take a steroid medicine by mouth that is being stopped or the dose is being lowered. It is not known whether this is caused by DUPIXENT. Tell your healthcare provider right away if you have: rash, chest pain, worsening shortness of breath, a feeling of pins and needles or numbness of your arms or legs, or persistent fever.
- **Joint aches and pain.** Some people who use DUPIXENT have had trouble walking or moving due to their joint symptoms, and in some cases needed to be hospitalized. Tell your healthcare provider about any new or worsening joint symptoms. Your healthcare provider may stop DUPIXENT if you develop joint symptoms.

**The most common side effects include:**

- **Eczema:** injection site reactions, eye and eyelid inflammation, including redness, swelling, and itching, sometimes with blurred vision, dry eye, cold sores in your mouth or on your lips, and high count of a certain white blood cell (eosinophilia).
- **Asthma:** injection site reactions, high count of a certain white blood cell (eosinophilia), pain in the throat (oropharyngeal pain), and parasitic (helminth) infections.
- **Chronic Rhinosinusitis with Nasal Polyposis:** injection site reactions, eye and eyelid inflammation, including redness, swelling, and itching, sometimes with blurred vision, high count of a certain white blood cell (eosinophilia), gastritis, joint pain (arthralgia), trouble sleeping (insomnia), and toothache.
- **Eosinophilic Esophagitis:** injection site reactions, upper respiratory tract infections, cold sores in your mouth or on your lips, and joint pain (arthralgia).
- **Prurigo Nodularis:** eye and eyelid inflammation, including redness, swelling, and itching, sometimes with blurred vision, herpes virus infections, common cold symptoms (nasopharyngitis), dizziness, muscle pain, and diarrhea.

Tell your healthcare provider if you have any side effect that bothers you or that does not go away.

These are not all the possible side effects of DUPIXENT. Call your doctor for medical advice about side effects. You are encouraged to report negative side effects of prescription drugs to the FDA. Visit [www.fda.gov/medwatch](http://www.fda.gov/medwatch), or call 1-800-FDA-1088.

Use DUPIXENT exactly as prescribed by your healthcare provider. It’s an injection given under the skin (subcutaneous injection). Your healthcare provider will decide if you or your caregiver can inject DUPIXENT. **Do not** try to prepare and inject DUPIXENT until you or your caregiver have been trained by your healthcare provider. In children 12 years of age and older, it’s recommended DUPIXENT be administered by or under supervision of an adult. In children 6 months to less than 12 years of age, DUPIXENT should be given by a caregiver.

**Please see accompanying full [Prescribing Information](#) including Patient Information.**

**About Regeneron**

Regeneron (NASDAQ: REGN) is a leading biotechnology company that invents, develops and commercializes life-transforming medicines for people with serious diseases. Founded and led by physician-scientists, our unique ability to repeatedly and consistently translate science into medicine has led to numerous approved treatments and product candidates in development, most of which were homegrown in our laboratories. Our medicines and pipeline are designed to help patients with eye diseases,

allergic and inflammatory diseases, cancer, cardiovascular and metabolic diseases, neurological diseases, hematologic conditions, infectious diseases, and rare diseases.

Regeneron pushes the boundaries of scientific discovery and accelerates drug development using our proprietary technologies, such as *VelociSuite*<sup>®</sup>, which produces optimized fully human antibodies and new classes of bispecific antibodies. We are shaping the next frontier of medicine with data-powered insights from the Regeneron Genetics Center<sup>®</sup> and pioneering genetic medicine platforms, enabling us to identify innovative targets and complementary approaches to potentially treat or cure diseases.

For more information, please visit [www.Regeneron.com](http://www.Regeneron.com) or follow Regeneron on [LinkedIn](#), [Instagram](#), [Facebook](#) or [X](#).

### **About Sanofi**

We are an innovative global healthcare company, driven by one purpose: we chase the miracles of science to improve people's lives. Our team, across the world, is dedicated to transforming the practice of medicine by working to turn the impossible into the possible. We provide potentially life-changing treatment options and life-saving vaccine protection to millions of people globally, while putting sustainability and social responsibility at the center of our ambitions.

Sanofi is listed on Euronext: SAN and Nasdaq: SNY.

### **Regeneron Forward-Looking Statements and Use of Digital Media**

*This press release includes forward-looking statements that involve risks and uncertainties relating to future events and the future performance of Regeneron Pharmaceuticals, Inc. ("Regeneron" or the "Company"), and actual events or results may differ materially from these forward-looking statements. Words such as "anticipate," "expect," "intend," "plan," "believe," "seek," "estimate," variations of such words, and similar expressions are intended to identify such forward-looking statements, although not all forward-looking statements contain these identifying words. These statements concern, and these risks and uncertainties include, among others, the nature, timing, and possible success and therapeutic applications of products marketed or otherwise commercialized by Regeneron and/or its collaborators or licensees (collectively, "Regeneron's Products") and product candidates being developed by Regeneron and/or its collaborators or licensees (collectively, "Regeneron's Product Candidates") and research and clinical programs now underway or planned, including without limitation Dupixent<sup>®</sup> (dupilumab) for the treatment of children aged 1 to 11 years with eosinophilic esophagitis; uncertainty of the utilization, market acceptance, and commercial success of Regeneron's Products and Regeneron's Product Candidates and the impact of studies (whether conducted by Regeneron or others and whether mandated or voluntary), including the studies discussed or referenced in this press release, on any of the foregoing; the likelihood, timing, and scope of possible regulatory approval and commercial launch of Regeneron's Product Candidates and new indications for Regeneron's Products, such as Dupixent for the treatment of chronic spontaneous urticaria, chronic pruritus of unknown origin, chronic obstructive pulmonary disease with evidence of type 2 inflammation, bullous pemphigoid, and other potential indications; the ability of Regeneron's collaborators, licensees, suppliers, or other third parties (as applicable) to perform manufacturing, filling, finishing, packaging, labeling, distribution, and other steps related to Regeneron's Products and Regeneron's Product Candidates; the ability of Regeneron to manage supply chains for multiple products and product candidates; safety issues resulting from the administration of Regeneron's Products (such as Dupixent) and Regeneron's Product Candidates in patients, including serious complications or side effects in connection with the use of Regeneron's Products and Regeneron's Product Candidates in clinical trials; determinations by regulatory and administrative governmental authorities which may delay or restrict Regeneron's ability to continue to develop or commercialize Regeneron's Products and Regeneron's Product Candidates; ongoing regulatory obligations and oversight impacting Regeneron's Products, research and clinical programs, and business, including those relating to patient privacy; the availability and extent of reimbursement of Regeneron's Products from third-party payers, including private payer healthcare and insurance programs, health maintenance organizations, pharmacy benefit management companies, and government programs such as Medicare and Medicaid; coverage and reimbursement determinations by such payers and new policies and procedures adopted by such payers; competing drugs and product candidates that may be superior to, or more cost effective than, Regeneron's Products and Regeneron's Product Candidates; the extent to which the results from the research and development programs conducted by Regeneron and/or its collaborators or licensees may be replicated in other studies and/or lead to advancement of product candidates to clinical trials, therapeutic applications, or regulatory approval; unanticipated expenses; the costs of developing, producing, and selling products; the ability of Regeneron to meet any of its financial projections or guidance and changes to the assumptions underlying those projections or guidance; the potential for any license, collaboration, or supply agreement, including Regeneron's agreements with Sanofi and Bayer (or their respective affiliated companies, as applicable) to be cancelled or terminated; the impact of public health outbreaks, epidemics, or pandemics (such as the COVID-19 pandemic) on Regeneron's business; and risks associated with intellectual property of other parties and pending or future litigation relating thereto (including without limitation the patent litigation and other related proceedings relating to EYLEA<sup>®</sup> (afibercept) Injection), other litigation and other proceedings and government investigations relating to the Company and/or its operations (including the pending civil proceedings initiated or joined by the U.S. Department of Justice and the U.S. Attorney's Office for the District of Massachusetts), the ultimate outcome of any such proceedings and investigations, and the impact any of the foregoing may have on Regeneron's business, prospects, operating results, and financial condition. A more complete description of these and other material risks can be found in Regeneron's filings with the U.S. Securities and Exchange Commission, including its Form 10-K for the year ended December 31, 2023 and its Form 10-Q for the quarterly period ended March 31, 2024. Any forward-looking statements are made based on management's current beliefs and judgment, and the reader is cautioned not to rely on any forward-looking statements made by Regeneron. Regeneron does not undertake any obligation to update (publicly or otherwise) any forward-looking statement, including without limitation any financial projection or guidance, whether as a result of new information, future events, or otherwise.*

Regeneron uses its media and investor relations website and social media outlets to publish important information about the

Company, including information that may be deemed material to investors. Financial and other information about Regeneron is routinely posted and is accessible on Regeneron's media and investor relations website (<https://investor.regeneron.com>) and its LinkedIn page (<https://www.linkedin.com/company/regeneron-pharmaceuticals>).

### **Sanofi Forward-Looking Statements**

This press release contains forward-looking statements as defined in the Private Securities Litigation Reform Act of 1995, as amended. Forward-looking statements are statements that are not historical facts. These statements include projections and estimates regarding the marketing and other potential of the product, or regarding potential future revenues from the product. Forward-looking statements are generally identified by the words “expects”, “anticipates”, “believes”, “intends”, “estimates”, “plans” and similar expressions. Although Sanofi’s management believes that the expectations reflected in such forward-looking statements are reasonable, investors are cautioned that forward-looking information and statements are subject to various risks and uncertainties, many of which are difficult to predict and generally beyond the control of Sanofi, that could cause actual results and developments to differ materially from those expressed in, or implied or projected by, the forward-looking information and statements. These risks and uncertainties include among other things, unexpected regulatory actions or delays, or government regulation generally, that could affect the availability or commercial potential of the product, the fact that product may not be commercially successful, the uncertainties inherent in research and development, including future clinical data and analysis of existing clinical data relating to the product, including post marketing, unexpected safety, quality or manufacturing issues, competition in general, risks associated with intellectual property and any related future litigation and the ultimate outcome of such litigation, and volatile economic and market conditions, and the impact that pandemics or other global crises may have on us, our customers, suppliers, vendors, and other business partners, and the financial condition of any one of them, as well as on our employees and on the global economy as a whole. The risks and uncertainties also include the uncertainties discussed or identified in the public filings with the SEC and the AMF made by Sanofi, including those listed under “Risk Factors” and “Cautionary Statement Regarding Forward-Looking Statements” in Sanofi’s annual report on Form 20-F for the year ended December 31, 2023. Other than as required by applicable law, Sanofi does not undertake any obligation to update or revise any forward-looking information or statements.

All trademarks mentioned in this press release are protected.

### **Regeneron Contacts:**

#### **Media Relations**

**Hannah Kwagh**

Tel: +1 914-847-6314

[Hannah.Kwagh@regeneron.com](mailto:Hannah.Kwagh@regeneron.com)

#### **Investor Relations**

**Vesna Tosic**

Tel: +1 914-847-5443

[Vesna.Tosic@regeneron.com](mailto:Vesna.Tosic@regeneron.com)

### **Sanofi Contacts:**

#### **Media Relations**

**Sandrine Guendoul**

Tel: + 33 6 25 09 14 25

[Sandrine.Guendoul@sanofi.com](mailto:Sandrine.Guendoul@sanofi.com)

#### **Investor Relations**

**Thomas Kudsk Larsen**

Tel: +44 7545 513 693

[Thomas.Larsen@sanofi.com](mailto:Thomas.Larsen@sanofi.com)

#### **Evan Berland**

Tel: +1 215-432-0234

[Evan.Berland@sanofi.com](mailto:Evan.Berland@sanofi.com)

#### **Alizé Kaisserian**

Tel: + 33 (0)6 47 04 12 11

[Alize.Kaisserian@sanofi.com](mailto:Alize.Kaisserian@sanofi.com)

#### **Victor Rouault**

Tel: + 33 6 70 93 71 40

[Victor.Rouault@sanofi.com](mailto:Victor.Rouault@sanofi.com)

#### **Arnaud Delepine**

Tel: +33 (0)6 73 69 36 93

[Arnaud.Delepine@sanofi.com](mailto:Arnaud.Delepine@sanofi.com)

#### **Timothy Gilbert**

Tel: +1 516-521-2929

[Timothy.Gilbert@sanofi.com](mailto:Timothy.Gilbert@sanofi.com)

#### **Felix Lauscher**

Tel: +1 908-612-7239

[Felix.Lauscher@sanofi.com](mailto:Felix.Lauscher@sanofi.com)

#### **Keita Browne**

Tel: +1 781-249-1766

[Keita.Browne@sanofi.com](mailto:Keita.Browne@sanofi.com)

#### **Nathalie Pham**

Tel: +33 (0)7 85 93 30 17

[Nathalie.Pham@sanofi.com](mailto:Nathalie.Pham@sanofi.com)

#### **Tarik Elgoutni**

Tel: +1 617-710-3587

[Tarik.Elgoutni@sanofi.com](mailto:Tarik.Elgoutni@sanofi.com)

#### **Thibaud Châtalet**

Tel: +33 (0)6 80 80 89 90

# **REGENERON**

Source: Regeneron Pharmaceuticals, Inc.